References

[1] De Los Santos et al., "RF MEMS for Ubiquitous Wireless Connectivity", IEEE Microwave Magazine, pp. 36-49, 2004.

[2] H. C. Lee et al., "Silicon Bulk Micromachined RF MEMS Switches with 3.5 Volts Operation by using Piezoelectric Actuator", IEEE-MTTS IMS Technical Session, pp. 585- 588, 2004.

[3] H. Nieminen, "RF MEMS for 0.8-2.5 GHz Applications in Mobile Terminals", (ISBN 951-22-7352-7) Ph. D. Dissertation, Helsinki University of Technology, pp.1- 47, 2004.

[4] V. Ermolov et al., "MEMS for Mobile Communications", Circuit Assembly, pp. 42-44, 2002.

[5] "US Department of Defence budget estimates – research, development, test and evaluation", Defence Advanced Research Projects Agency, Volume 1, 2000.

[6] H.J. De Los Santos, "Introduction to Microelectromechanical (MEM) Microwave Systems", Artech House Microwave Library, Artech House, Boston, MA, pp. 1-103, 1999.

[7] J. L. Zunino III et al., " Micro-electromechnaical systems (MEMS) Reliability Assessment Program for Department of Defence Activities", NSTI Nanotechnology Conference and Trade Show (Nanotech), Anaheim, CA, Vol. 3, pp. 463-466, 2005.

[8] W.Merlijn, V. Spengen, R. Puers, R. Mertens, and I. De Wolf, "A Comprehensive model to predict the Charging and reliability of capacitive RF MEMS swiches", J. Micromech. Microeng. Vol. 14, pp. 514-521, 2004.

[9] V. Varadan, K. J. Vinoy and K. A. Jose, "RF MEMS and their applications", John Wiley & Sons Ltd, England, pp. 1-387, 2002.

[10] C. L. Chua, et al., "Microelectromech. System", IEEE/ASME Journal, Vol. 12, No. 6, pp. 989-995, 2003.

[11] M. Madou, "Fundamentals of Microfabrication", CRC Press, Inc., Boca Raton, FL, pp. 11-152, 1997.

[12] A.A. Tseng, W.C. Tang, Y.C. Lee, J. Allen, "NSF 2000 workshop on manufacturing of micro-electro-mechanical systems", J. Mater. Process Manufact. Sci., Vol. 8, pp. 292- 360, 2001.

[13] W. C. Tang, "Overview of Microelectromechanical systems and Design Processes", IEEE, The 34th Design Automation Conference, Vol. 1, No. 212, pp. 670-673, 1997.

[14] D.V.K. Sastry, "Radio Frequency Microelectromechanical Systems in Defence and Aerospace", Defence Science Journal, Vol. 59, No. 6, pp. 568-579, 2009.

[15] R. Feynman, "There's Plenty of Room at the Bottom", Journal of Micro-electromechanical Systems, Vol.1, No.1, pp. 60-66, 1992.

[16] G. M. Rebeiz, "RF-MEMS: Theory, Design and Technology". Hoboken NJ: Wiley, pp. 1-38, 2003.

[17] E. R. Brown, "RF-MEMS switches for reconfigurable integrated circuits", IEEE Trans. Microwave Theo. Techn., Vol. 46, No. 11, pp. 1868-1880, 1998.

[18] B. Lacroix et al., "Sub-microsecond RF MEMS switched capacitors", IEEE Trans. Microwave Theo. Techn., Vol. 55, No. 6, pp. 1314-1321, 2007.

[19] G.-L. Tan and G. M. Rebeiz, "A DC-Contact MEMS shunt switch," IEEE microwave and wireless components letters, Vol. 12, No. 6, pp. 212-214, 2002.

[20] H. Kawai (Yokohama, JP), "An RF MEMS Switch", US Patent, Patent Number US 7126 447 B2, 2006.

[21] H. H. Busta, "MEM Switching Device", US patent, patent number US 7317 232 B2, 2008.

[22] Park et al., "RF MEMS Switch and Fabrication Method thereof", US Patent, patent number US 7456 713 B2, 2008.

[23] Ivanov et al., "Integrated MEMS Switch", US patent, patent number US 7745 892 B1, 2010.

[24] Song et al., "MEMS RF Switch using Semiconductor", US patent, patent number US 7911 300 B2, 2011.

[25] H. Ishikawa, "A Variable Inductor", US patent, patent number US 7138 898 B2, 2006.

[26] Weller et al., “Tunable Micro-electromechanical Inductor”, US patent, patent number US 7274 278 B2, 2007.

[27] H. L. Stalford, (Norman, OK, US) et al, “A microelectromechanical tunable inductor”, U.S. Patent , US Patent, Patent Number US 7710 232 B1, 2010.

[28] Jeon, Sang-yoon (Seoul, KR) et al., “A variable inductor”, US patent, patent number US 8054 153, 2011.

[29] J.J. Yao, “Topical Review: RF MEMS from a Device Perspective”, J. Micromech. Microeng. Vol. 10, R9-R38, 2000.

[30] S. Lucyszyn, “Review of radio- frequency microelectromechanical systems technology”, IEE Proc. Sci Meas. Technol, Vol. 151, No. 2, pp. 93-103, 2004.

[31] P. G. Steeneken, (Valkenswaard, NL) et al., “Tunable capacitors using fluid dielectrics”, US patent, patent number US 2010/0182 731 A1, 2010.

[32] Y. Furukawa, (Kimitsu, JP) et al., “Tunable capacitor”, US patent, patent number US 2011/0051 309 A1, 2011.

[33] Choi et al., “Tunable capacitors using Electrowetting Phenomena”, US patent, patent number US 8045 318 B2, 2011.

[34] J. D. Larson III, (Palo Alto, CA, US) et al., “FBAR devices with simplified packaging”, US patent, patent number US 7358 831 B2, 2008.

[35] Shin et al., “Tunable resonator using a film bulk acoustic resonator (FBAR)”, US patent, patent number US 7804 382 B2, 2010.

[36] Larson III, John D. (Palo Alto, CA, US), “Temperature-compensated film bulk acoustic resonator (FBAR) device”, US patent, patent number US 7408 428 B2, 2008.

[37] Weinstein et al., “Dielectrically Transduced Single-Ended to Differential MEMS filter”, US patent, patent number US 7436 271 B2, 2008.

[38] A. Tran, (San Diego, CA, US), “Microelectromechanical (MEM) Switch Antenna”, US patent, patent number US 7151 501 B2, 2006.

[39] D. Anagnostou (Albuquerque, NM, US) et al., “Reconfigurable Multifrequency Antenna with RF-MEMS switches”, US patent, patent number US 7589 674 B2, 2009.

[40] K. Sayyah, “Continuously tunable MEMS based phase shifter”, US patent, patent number US 6509 812 B2, 2003.

[41] R. C. Allison et al., “Multi-bit Phase Shifters using MEM RF Switches”, US patent, patent number US 6741 207 B1, 2004.

[42] Kee et al., “A Phase Shifter with its working”, US patent, patent number US 7756 491 B2, 2010.

[43] D. Sparks et al., "Chip-Level Vacuum Packaging of Micromachines Using NanoGetters", IEEE Trans-Advnaced Packaging, Vol. 26, No. 3, pp. 277-282, 2003.

[44] R. Ramesham, and R. Ghaffarian, “Challenges in Interconnection and Packaging of Micromechanical Systems (MEMS)”, Electronic components and Technology Conf., pp. 666-675, 2000.

[45] Y. C. Lee et al., “Packaging for Microelectromechanical and Nanoelectromechanical Systems”, IEEE Transactions on adv. Packaging, Vol. 26, No. 3, pp. 217-226, 2003.